

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected

for certified reference standards at known concentrations.

55	81	9-(CN

ID	Weight %	Concentration			
D9-THC	0.14 wt %	1.43 mg/g			
THCV	ND	ND			
CBD	1.14 wt %	11.36 mg/g	-		
CBDV	ND	ND			
CBG	ND	ND			
CBC	0.10 wt %	0.99 mg/g			
CBN	ND	ND			
THCA	0.40 wt %	4.03 mg/g			
CBDA	14.70 wt %	146.96 mg/g			
CBGA	ND	ND			
D8-THC	ND	ND			
exo-THC	ND	ND			
Total	16.48 wt%	164.76 mg/g	0%	Cannabinoids (wt%)	14.7%
Max THC	0.50 wt%	4.96 mg/g			
Max CBD	14.02 wt%	140.24 mg/g			

Ratio of Total CBD to THC 28.3:1

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: Max THC = $(0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND = None detected above the limits of detection (LLD)

END OF REPORT

420 Fortune Blvd • Milford, MA 01757 • 617-221-3356 www.ProVerdeLabs.com